

EFFECTIVE 7/1/2025

A. Wastewater Capacity Fee for Non-Permit Applicants

For applicants who are not required to obtain a Wastewater Discharge Permit the Wastewater Capacity Fee (WCF) is based on the applicant's estimated annual wastewater discharge flow and strength.

For an increase or change in water use caused by the creation of an accessory dwelling or junior accessory dwelling on a premises, WCF will be imposed only as authorized by Chapter 13 of Division 1 of Title 7 of the Government Code.

1. Single-Family Residential WCF ^{1,2}

\$3,125

2. Multi-Family Residential WCF 2, 3

Residential	WCF (\$ Per Dwelling)	
For dwellings over 500 sq. ft.	\$2,192	
For dwellings 500 sq. ft. and under	\$1,712	

3. Non-Residential WCF for meters 1-1/2 inches and smaller (dollars per connection)² For service connections with meters 1-1/2 inches and smaller, the District reserves the right to request specific water use information from the applicant to determine applicant's estimated annual wastewater discharge flow and strength. The District reserves the right to determine the appropriate meter size and wastewater strength category to meet the applicant's estimated annual wastewater discharge flow and strength and assess the WCF using this Section (A)(3). If the District determines that the applicant's estimated annual wastewater discharge flow exceeds 1,390 gallons per day (gpd) or that a meter larger than 1-1/2 inches is required to meet the applicant's needs, this Section (A)(3) no longer applies. For estimated annual wastewater discharge flows that exceed 1,390 gpd and meters larger than 1-1/2 inches, Section (A)(4) shall be used to determine the WCF based on the applicant's estimated annual wastewater discharge flow and strength category. The District's decision shall be final.

Strongth Cotogony	Meter Size		
Strength Category	5/8 inch	3/4 & 1 inch	1-1/2 inch
Low	\$4,647	\$12,215	\$23,796
Medium	9,404	24,722	48,161
High	18,413	48,405	94,298



EFFECTIVE 7/1/2025

4. Non-Residential (meter size over 1-1/2 inch) ^{2, 4, 5}

The WCF for service connections with meters larger than 1-1/2 inch shall be determined on a case-by-case basis by the District based on water use information furnished by the applicant and applying the per unit (1 unit = 748 gallons) WCF charge to the annual wastewater discharge flow calculated by the District for the appropriate strength category for the service connection.

Strength Category	\$/unit/year	
Low	\$35.20	
Medium	71.24	
High	139.49	

In no instance will the WCF for a meter larger than 1-1/2 inches be less than the 1-1/2 inch price for a given strength category.



EFFECTIVE 7/1/2025

If the District has determined based on the water use information furnished that a meter larger than 1-1/2 inches is appropriate or if the estimated annual wastewater discharge exceeds 1,390 gpd, the WCF calculated from the District's estimate of annual wastewater discharge flow shall apply irrespective of the arrangement of the water metering or meter size at the premises.

Business Classification Code (BCC) Category: Low Strength

Code	Description
4500	Air Transportation
7542	Automobile Washing and Polishing
7215	Coin Operated Laundromats
3200	Earthenware Manufacturing
8060	Hospitals
7000	Hotels, Motels with Food Service
7300	Laboratories
3470	Metal Coating
3400	Metal Products Fabricating
3300	Primary Metals Manufacturing
8200	Schools
2820	Synthetic Material Manufacturing
	All Other Business Classification Codes
	(includes dischargers of only segregated
	domestic wastes from sanitary
	conveniences)

BCC Category: Medium Strength

Code	Description
2080	Beverage Manufacturing & Bottling
2840	Cleaning and Sanitation Products
7210	Commercial Laundries
2830	Drug Manufacturing
5812	Food Service Establishments
2030	Fruit and Vegetable Canning
2040	Grain Mills
2893	Ink and Pigment Manufacturing
2810	Inorganic Chemicals Manufacturing
2600	Pulp and Paper Products
2011	Slaughterhouses



EFFECTIVE 7/1/2025

BCC Category: High Strength

Code	Description
2050	Bakeries (including Pastries)
2020	Dairy Product Processing
3410	Drum and Barrel Manufacturing
7218	Industrial Laundries
3110	Leather Tanning and Finishing
2010	Meat Products
2850	Paint Manufacturing
2077	Rendering Tallow
2090	Specialty Foods Manufacturing
2060	Sugar Processing

B. WCF for Permit Applicants

For applicants who are required to obtain a Wastewater Discharge Permit, the WCF is based on the applicant's estimated annual wastewater discharge flow and strength concentrations listed on the applicant's discharge permit at the time of application.

Permit Accounts 2, 4, 5

Flow (\$/unit/year)	\$15.73
Chemical Oxygen Demand (COD) (\$/lb/year)	1.65
Total Suspended Solids (TSS) (\$/lb/year)	7.56

¹Single-Family is BCC 8800 Single-Family.

For premises on which no WCF was paid, customers will be granted a credit for the existing use. For existing meters 1-1/2 inches and smaller, the WCF credit will be calculated based on the current WCF schedule for the existing meter size and strength. For existing meters over 1-1/2 inches, the WCF credit will be calculated based on the most recent 10 years of usage and strength for the existing meter, provided that this value is not less than the value indicated in the schedule for the 1-1/2 inch meter.

If the account is subject to an Estimation Permit, the usage credit will consider diversion. The WCF credit cannot be applied to a dedicated irrigation meter, standby meter, fire service meter, or in the case of a combination standard and fire service meter, the portion of the meter oversized for the private fire protection system.

3Multi-family includes BCC 6513 Apartment Buildings and 6514 Multi-Family.

²A credit may be provided for existing services. Where a new service will replace one or more existing or prior services to a premises that previously paid a WFC, a credit will be applied to the new WCF. For existing meters 1-1/2 inches and smaller, the value of the WCF credit will be determined using the flow and strength assumed in the original WCF and based on the current WCF schedule (for flow and strength), or based on the existing strength and meter size if the information from the original WCF is not available. For existing meters over 1-1/2 inches, the value of the WCF credit will be determined using the flow and strength assumed in the original WCF and based on the current WCF schedule (for flow and strength). If the flow and strength information is not available from the original WCF, the strength and flow from the most recent 10 years of usage and strength will be used to determine the WCF credit, provided that this value is not less than the value indicated in the schedule for the 1-1/2 inch meter.



EFFECTIVE 7/1/2025

⁴WCF is based on the anticipated annual flow contributions and the average wastewater strength measured or assigned for each classification of customer. The District may review the actual flow and strength within 24 months, once the business is fully established to verify the estimated demand for wastewater capacity. The review may result in a determination of additional capacity fees if the actual flow and strength exceeds the original estimate.
⁵Total fee is a summation of the unit rates for flow, COD, and TSS applied to the permit conditions at the time of application.